Establishing peer-learning networks for effective, low-cost medusahead control within the ranching community.


California Invasive Plant Council Symposium October 10, 2014

Philip Brownsey

Sierra Foothill Research and Extension Center



Conservation Benefits of Rangeland Practices Assessment, Recommendations, and Knowledge Gaps



CHAPTER



Invasive Plant Management on Anticipated Conservation Benefits: A Scientific Assessment

Roger L. Sheley,¹ Jeremy J. James,² Mathew J. Rinella,³ Dana Blumenthal,4and Joseph M. DiTomaso⁵

Authors are ¹Ecologist and ²Plant Physiologist, US Department of Agriculture-Agricultural Research Service, Burns, OR 97720, USA; ³Rangeland Management Specialist, US Department of Agriculture-Agricultural Research Service, Miles City, MT 59301, USA; 4Ecologist, US Department of Agriculture-Agricultural Research Service, Fort Collins, CO 80526, USA; and ⁵Weed Specialist, University of California-Davis, Davis, CA 95616, USA.

> Correspondence: Roger L. Sheley 67826-A Hwy 205, Burns, OR 97720; roger.sheley@oregonstate.edu.

> > Reference to any commercial product or service is made with the understanding that no discrimination is intended and no endorsement by USDA is implied



University of California

Agriculture and Natural Resources | Research and Extension Center System

Demonstration Projects

- Management plans driven by the ranchers' needs
- Demonstrate low-cost treatments
- Use these as examples to begin conversations







Medusahead—Current Situation

- Occupies nearly 1 million hectares in western states (Duncan et al. 2004)
- Alters fire regimes, degrades wildlife habitat quality, reduces rangeland biodiversity, changes soil nutrient cycles, reduces forage quality for livestock production
- Strong competitor




Current Realities of Ranching (and Rangelands)

- Grazing lease prices headed towards \$30+ per acre
- Hay prices have doubled in 10 years
- Strong need for maintaining current livestock productivity on California rangelands
- <u>Cameron, Marty, and Holland. 2014. "Whither the Rangeland?</u> <u>Protection and Conversion in California's Rangeland</u> <u>Ecosystems." PLoS ONE 9(8).</u>



Medusahead Management Guide

for the Western States



JOSEPH M. DITOMASO Weed Science Program Department of Plant Sciences University of California, Davis, CA

KIRK W, DAVIES Eastern Oregon Agricultural Research Center, Burns, OR

JOSH S. DAVY University of California Cooperative Extension, Tehama County, CA

BRENDA S. SMITH Eastern Oregon Agricultural Research Center, Burns, OR

Kyser et al. 2014 available at wric.ucdavis.edu


- Burning (Furbush 1953; DiTomaso et al. 2008)
- Herbicide (Young et al. 1969; Young & Evans 1971; Monaco et al. 2005; Kyser et al. 2007; Kyser et al. 2012; Kyser et al. 2012; Kyser et al. 2013)
- Mowing
- Seeding
- Grazing
 - targeted (Lusk 1961, DiTomaso et al. 2008)
 - moderate
 - managing distribution (fencing, water, herding, supplement, N fertilizer)



University of California

Agriculture and Natural Resources Research and Extension Center System

From science to practice:





Four Demonstration Ranches

- Glenn County, California
- Stanislaus County, California
- Crook County, Oregon
- Grant County, Oregon





Peer-Learning Networks

Rancher Community

- Informal
- Demonstrations as catalyst
- Based around workshops and livestock advisors
- What worked?
- What didn't?
- What did you learn?



Intended outcomes

- Greater understanding of the implementation process and outcomes at larger scales
- Estimation of actual costs and benefits of these treatments for livestock producers
- Provide examples of large-scale implementation
- Sharing of experiences through workshops and informal networks to pass on knowledge (starting in Spring 2015)
- Rangeland restoration experience database??





United States Department of Agriculture

National Institute of Food and Agriculture



Philip Brownsey pbrownsey@ucanr.edu

