

# **Application of Feral Animal Eradication Techniques to Invasive Plants: Early Detection and Rapid Response**

John Knapp, Coleen Cory, Kelvin Walker, and Norm Macdonald








#### **Eradication Criteria**

- 1. Detect all individuals
- 2. Put the entire population at risk
- 3. Outpace reproduction
- 4. Commitment to finish

### Feral Pig Removal

- Pigs removed from 25 islands worldwide
- SCI- 2<sup>nd</sup> largest successful pig eradication
- >5,000 pigs removed
- □22 months
- ■No injuries
- □10 staff












### Feral Pig Survey Tracks and Dispatches





### Weed Survey Tracks and Populations



#### Survey (2,660 miles)

- ☐ 56 species
- □41 days
- □ 5,942 populations
- □7 staff

#### Treated

- □14 species
- ☐35 days
- □380 populations
- 2 staff/day

## Ground Surveys






## Aerial Transport- Feral Animal Removal



## Aerial Transport- Feral Animal Removal



## Aerial Transport- Weed Treatment




### French broom treatment and resurvey



## Transporting Applicators



## Aerial Transport "Leap Frogging"



## Fast Filling Ground-based Spray Rigs






#### Benefits of Aerial Assistance


- Projects conducted efficiently
- Eliminate species dispersal
- Reduce ecosystem impact
- Complete projects quickly
- Reduce the risk of injury
- Utilize fewer resources
- Staff stay refreshed
- Cost effective
  - Meet the criteria for eradication
    - Projects are successful

#### **Weed Surveys**





#### **Weed Treatment**



#### Acknowledgements

#### The Nature Conservancy

Lotus Vermeer, Rachel Wolstenholme, and Scott Morrison

#### **NRI Staff**

- Norelle Broughton
- Diane Chakos
- Lauren Danner
- Jessica Dooley
- > Ken Hutchins
- > Jude Scott
- Cedrick Villasenior





#### **Weed Treatment**

