



Invasive Aquatic Weeds:

Implications for Mosquito and Vector Management Activities

Charles E Blair, MD, Trustee, Mosquito and Vector Management District of Santa Barbara County (MVMSBC)
Southern California Vector Control Environmental Taskforce (SCVCET)



Introduction

The adverse effects of invasive aquatic and riparian weeds on water quality; hydrology, native plant communities, and wildlife habitat and their consequences for mosquito control efforts, public health and nuisance problems, while implied, could be better articulated.

As a life-long general naturalist, MVMSBC trustee, and member of the SCVCET, I have become increasingly aware of these relationships. This poster will present some of these relationships and highlight collaborative activities between vector and weed control agencies.

Findings

Integrated Pest Management in Relation to Mosquito Control:

Successful control of larvae and pupae is the primary emphasis, greatly reducing the need for aerial spraying. Predators - native species in natural habitats and introduced predators, (especially Mosquito Fish, *Gambusia affinis*) in artificial ones - are important. Biorational larvicides, such as *Bacillus thuringiensis* ssp. *israelensis* (Bti), *Bacillus sphaericus* (Bsp), and maturation inhibitors such as IGR/JHA - Methoprene distributed as granules or briquettes, serve to reduce larval populations, supplementing the effectiveness of predators. Waterways degraded by invasive weeds tend to promote mosquito breeding and interfere with predator activity. Control of invasive aquatic plants improves water quality, discourages mosquito breeding, and enhances predator effectiveness.

Freshwater Invasives:

Water Hyacinth, *Eichhornia crassipes*, Water Evening-primrose, *Ludwigia* spp. are among the principal problem plants. These invasives reduce circulation and inhibit predators. Water Evening-primrose infestations can be so dense that granules and briquettes cannot reach the water. Two studies presented at the 2008 MVCAC Conference showed reduction of predation by both introduced native fish (1) and mosquito fish (2).



Water Hyacinth *Eichhornia crassipes*
Robert Potts California of Sciences



Ludwigia spp. Joe Di Tomaso

Saltmarsh Invasives:

In estuarine habitats, Smooth Cordgrass, *Spartina* spp., especially the hybrid *S. densiflora x foliosa* (3) invade near-shore salt marshes displacing native species, invade deeper waters, and inhibit tidal fluctuation leaving slack-water areas where Saltmarsh Mosquitoes, *Aedes* spp. proliferate.

These are far-flying, aggressive day biters, some of which can carry pathogens, such as West Nile Virus.


The San Francisco Estuary Invasive *Spartina* Project: A Successful Collaboration:

The Invasive *Spartina* Project is a coordinated regional effort among local, state and federal organizations dedicated to preserving California's extraordinary coastal biological resources through the elimination of invasive species of *Spartina* (cordgrass). The highly effective synergy between the San Mateo County Mosquito Abatement District (SMCMAD) and regional Weed Management Areas can serve as a model for similar efforts elsewhere. (4 & 5)



Spartina spp. Joe DiTomaso

Right: Taller, more robust clone of introduced *S. alterniflora* surrounded by native cordgrass, *S. foliosa*.
From S.F. Bay *Spartina* Project.



Several thousand acres of *Spartina alterniflora x foliosa* were successfully eliminated, chiefly from abandoned salt evaporation ponds as well as open bay waters from Candlestick Park to the San Mateo - Santa Clara County line. There is significant re-growth of salt marsh natives, including Pickleweed, *Frankelia*, and native cordgrasses (6). Imazapyr was recently approved for aquatic use in California. It is much more effective than glyphosate (Rodeo) on *Spartina*. (7) Activities were timed to avoid nesting Clapper Rails and other wildlife. Projects were done in a mosaic pattern allowing wildlife to find suitable nesting sites, and encourage re-growth of native vegetation. (8) These efforts have greatly improved the wildlife habitat, enhanced the aesthetic qualities, facilitated control of mosquitoes with less pesticide use, and had good public acceptance.

Summary and Conclusions

1. Invasive aquatic and riparian weeds are a major threat to waterways, displacing the native vegetation that supports wildlife. They also degrade water quality and availability and increase the risk of disease-carrying and nuisance mosquitoes. They also interfere with mosquito control efforts.
2. Control of these invasive plants enhances wildlife, water quality, and aesthetic values as well as assisting mosquito control efforts.
3. Collaboration among agency and non-governmental weed control and vector control organizations can result in satisfactory and cost-effective outcomes.

References

1. Jennifer Henke 2008: Effects of Vegetation on the Efficacy of Larval Mosquito (Diptera: Culicidae) Control by Native Larvivorous Fish: Presented at the 2008 MVCAC Conference
2. David A. Popko 2008: The influence of water quality and vegetation on Mosquito Fish in mosquito control programs in wastewater wetlands: Presented at the 2008 MCCAC Conference
3. Debra R. Ayres, et al. 2007: Hybridization between invasive *Spartina densiflora* (Poaceae) and native *S. foliosa* in San Francisco Bay, California, USA
4. The San Francisco Estuary Invasive *Spartina* Project: <http://www.spartina.org/>
5. Peggy R. Olofson, Editor 2000: Baylands Ecosystem: Species and Community Profiles.
6. Invasive *Spartina* Control Plans for the San Francisco Estuary, June 2008 California 2002-2010 Control Sessions Coastal Commission Invasive *Spartina* Control Project, pp 92-142
7. K.M. Kilbride & F.L. Pavoglio 2001: Long-term fate of glyphosate associated with repeated Rodeo applications to control Smooth Cordgrass, *Spartina alterniflora*, in Willapa Bay, Washington. Arch. Environ. Contam. Toxicol 40: 179-183
8. James Counts, SMCMAD 2008: Personal Communication

Acknowledgements

Thanks to James Counts, Field Operations Manager San Mateo County Mosquito Abatement District, for time spent touring the district's facilities and *Spartina* control and other activities; Peggy Olofson, Director of Bay Area Invasive *Spartina* Project for overview of the project; and Kim Payne-Blair for preparation assistance. Funded by MVMSBC.

Contact information

Charles E. Blair
176 Alcor Ave. Lompoc, California
blairce@verizon.net